



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Los Angeles*.—Month of February, 1905. Estimated population, 180,000. Total number of deaths, 294, including diphtheria 2, enteric fever 3, whooping cough 2, cerebro-spinal meningitis 8, and 68 from tuberculosis.

San Diego.—Month of February, 1905. Estimated population, 25,000. Total number of deaths, 46, including enteric fever, 1, and 15 from tuberculosis.

CONNECTICUT.—Reports to the State board of health for the month of February, 1905, from 166 towns having an aggregate estimated population of 970,716, show a total of 1,362 deaths, including diphtheria 25, enteric fever 3, measles 1, scarlet fever 2, whooping cough 4, and 121 from phthisis pulmonalis.

Bridgeport.—Month of February, 1905. Estimated population, 82,128. Total number of deaths, 99, including diphtheria 2, scarlet fever 1, and 13 from tuberculosis.

LOUISIANA—*New Orleans*.—Month of February, 1905. Estimated population, 325,000; white, 239,000; colored, 86,000. Total number of deaths, 668; white 430, colored 238, including diphtheria 4, enteric fever 2, scarlet fever 1, whooping cough 4, smallpox 1, and 103 from tuberculosis.

MARYLAND—*Baltimore*.—Month of February, 1905. Estimated population, 550,000; white, 464,000; colored, 86,000. Total number of deaths, 883; white, 667; colored, 216, including diphtheria 7, enteric fever 7, scarlet fever 4, whooping cough 2, and 97 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended March 4, 1905, from 61 observers, indicate that diarrhea, smallpox, and cholera morbus were more than usually prevalent, and inflammation of kidney, pleuritis, pneumonia, intermittent fever, enteric fever, diphtheria, erysipelas, meningitis, whooping cough, measles, remittent fever, puerperal fever, dysentery, and inflammation of brain were less than usually prevalent.

Meningitis was reported present at 6, whooping cough at 7, diphtheria at 21, measles at 33, enteric fever at 46, scarlet fever at 55, smallpox at 65, pneumonia at 70, and phthisis pulmonalis at 192 places.

NEW HAMPSHIRE—*Manchester*.—Month of February, 1905. Estimated population, 62,000. Total number of deaths, 130, including enteric fever 1, and 12 from tuberculosis.

OHIO—*Cleveland*.—Month of February, 1905. Estimated population, 430,000. Total number of deaths, 544, including diphtheria 8, enteric fever 2, scarlet fever 4, whooping cough 3, and 44 from tuberculosis.

East Liverpool.—Month of February, 1905. Estimated population, 20,000. Total number of deaths 31, including diphtheria 2, enteric fever 1, and 2 from tuberculosis.

OREGON—*Portland.*—Month of February, 1905. Estimated population, 153,000. Total number of deaths 130, including diphtheria 2, enteric fever 2, and 11 from tuberculosis.

RHODE ISLAND—*Newport.*—Month of February, 1905. Estimated population, 23,000. Total number of deaths, 34, including 7 from tuberculosis.

TENNESSEE—*Chattanooga.*—Month of February, 1905. Estimated population, 40,000; white, 27,000; colored, 13,000. Total number of deaths, 59; white 33, colored 26, including enteric fever 1, and 1 from whooping cough.

Memphis.—Month of January, 1905. Estimated population, 140,000; white, 76,000; colored, 64,000. Total number of deaths, 191; white, 88; colored, 103, including diphtheria 2, enteric fever 3, whooping cough 2, and 23 from tuberculosis.

Month of February, 1905. Total number of deaths, 208; white, 102; colored, 106, including smallpox 1, and 24 from tuberculosis.

Nashville.—Month of February, 1905. Estimated population, 83,520; white 52,420, colored 31,100. Total number of deaths, 183; white, 84; colored, 99, including enteric fever 3, whooping cough 4, and 22 from tuberculosis.

WASHINGTON—*Tacoma.*—Month of February, 1905. Estimated population, 70,000. Total number of deaths 54, including diphtheria 2, and 5 from phthisis pulmonalis.

ARRIVALS OF IMMIGRANTS.

Report of immigration at Baltimore.

Number of alien immigrants who arrived at this port during the week ended March 18, 1905; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of aliens.
Mar. 12	Brookline	Port Antonio	1
14	Borkum	Bremen	539
11	Kolndo	5
	Total	545

LOUIS T. WEIS, *Commissioner.*